

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Date: 02.01.2024

Replaces: N/A Ref: 0629.0.BO/DL

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name OB1 BIOBASED FIX & BOND ADHESIVE

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

### **Company Name**

Siroflex Limited
Dodworth Business Park
Dodworth, Barnsley
South Yorkshire, S75 3SP

Tel +44 (0)1226 771600 Fax +44 (0)1226 771601

Further information available from: www.ob1original.com

1.4. Emergency telephone number

United Kingdom Ireland + 44 (0) 1226 771600 (Office Hours Only)
NPIC - National Poison Information Centre

Members of the Public: +353 (01 8092166 (8.00 am to 10.00 pm - 7 days a week

Healthcare Professionals: +353 (01 8092566 (24 hour service

Europe 112

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

### Signal word

None

#### **Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### **EU Specific Hazard Statements**

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

United Kingdom - BE Page 1 / 14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Ref: 0629.0.BO/DL Date: 02.01.2024

### 2.3. Other hazards

No information available.

### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC)	Specific concentration limit (SCL)	REACH registration number
				No. 1272/2008 [CLP]	(001)	
Ethylene glycol	(603-027-00- 1) 203-473-3	107-21-1	0.1- <1	STOT RE 2 (H373) Acute Tox. 4 (H302)	-	01-2119456816- 28-XXXX
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	926-141-6	RR-108541-2	0.1- <1	Asp. Tox. 1 (H304) (EUH066)	-	01-2119456620- 43-XXXX
Sodium hydroxide	(011-002-00- 6) 215-185-5	1310-73-2	0.1 - <0.5	Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)	Eye Irrit. 2 :: 0.5%<=C<2% Eye Dam. 1 :: C>=2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	01-2119457892- 27-XXXX
Zinc oxide	(030-013-00- 7) 215-222-5	1314-13-2	0.1 - <0.3	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	01-2119463881- 32-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	(613-088-00- 6) 220-120-9	2634-33-5	0.01 - < 0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]	611-341-5	55965-84-9	<0.0015	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H330)	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 ::	_

United Kingdom - BE Page 2/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

	1 01: 0 40 1	0.000/	
	Skin Corr. 1C	0.06%<=C<0.6%	
	(H314)	Skin Sens. 1 ::	
	Eye Dam. 1	C>=0.0015%	
	(H318)		
	Skin Sens. 1A		
	(H317)		
	Aquatic Acute 1		
	(H400)		
	Aquatic Chronic 1		
	(H410)		

### Full text of H- and EUH-phrases: see section 16

Substances identified by a number starting "RR-" in the CAS-field are substances for which the CAS# is not adopted in EU and we use an internal numbering system to track within our SDS software

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### **Notes**

See section 16 for more information

Chemical name	Notes
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] - 55965-84-9	В

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

If medical advice is needed, have product container or label at hand. Show this safety **General advice** 

data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper Eye contact

eyelids. Consult a doctor.

Skin contact Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never

give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors No information available.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

United Kingdom - BE Page 3 / 14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

No information available.

chemical

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations. Prevention of secondary hazards

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep from freezing.

Recommended storage

temperature

Do not freeze. Keep at temperatures between 5 and 35 °C.

7.3. Specific end use(s)

Specific use(s) Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

United Kingdom - BE Page 4/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

Observe technical data sheet. Other information

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### **Exposure Limits**

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m <sup>3</sup>
107-21-1	TWA: 52 mg/m <sup>3</sup>	TWA: 20 ppm
	STEL: 40 ppm	TWA: 52 mg/m <sup>3</sup>
	STEL: 104 mg/m <sup>3</sup>	STEL: 40 ppm
	*	STEL: 104 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>
		Sk*
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics,	TWA:1200 mg/m <sup>3</sup>	-
<2% aromatics		
RR-108541-2		
Sodium hydroxide	-	STEL: 2 mg/m <sup>3</sup>
1310-73-2		

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Ethylene glycol (107-21-1)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	106 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	35 mg/m³	

Zinc oxide (1314-13-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	5 mg/m³	
worker Long term Local health effects	Inhalation	0.5 mg/m³	
worker Long term Systemic health effects	Dermal	83 mg/kg bw/d	

1,2-benzisothiazol-3(2H)-one	e [BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

United Kingdom - BE Page 5/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

Derived No Effect Level (DNEL)			
Ethylene glycol (107-21-1)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	53 mg/kg bw/d	
Consumer Long term Local health effects	Inhalation	7 mg/m³	

Zinc oxide (1314-13-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	2.5 mg/m³	
Consumer Long term Systemic health effects	Dermal	83 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d	

1,2-benzisothiazol-3(2H)-one [E	BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m <sup>3</sup>	
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d	

# Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	20.9 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l
Freshwater - intermittent	10 mg/l

Zinc oxide (1314-13-2)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.0206 mg/l
Marine water	0.0061 mg/l
Freshwater sediment	235.6 mg/kg dry weight
Marine sediment	113 mg/kg dry weight
Soil	106.8 mg/kg dry weight
Microorganisms in sewage treatment	0.1 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)	
Environmental compartment	Predicted No Effect Concentration (PNEC)

United Kingdom - BE Page 6/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

Freshwater	4.03 μg/l
Marine water	0.403 μg/l
Sewage treatment plant	1.03 mg/l
Freshwater sediment	49.9 μg/l
Marine sediment	4.99 μg/l
Soil	3 mg/kg dry weight

#### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Skin and body protection Suitable protective clothing.

Environmental exposure controls No information available.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state Solid **Appearance** Paste

See section 1 for more information Colour

Odour Characteristic.

Remarks • Method Property **Values** 

Melting point / freezing point = 0 °CInitial boiling point and boiling = 100 °C

range

None known **Flammability** No data available Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

7 - 9 pН

pH (as aqueous solution) No data available None known

Kinematic viscosity  $> 21 \text{ mm}^2/\text{s}$ **Dynamic viscosity** No data available Water solubility Soluble in water. No data available

Solubility(ies) None known Partition coefficient No data available None known Vapour pressure No data available None known Relative density No data available None known

No data available **Bulk Density** 

**Density** 1.30

No data available Relative vapour density None known

**Particle characteristics** 

**Particle Size** No information available **Particle Size Distribution** No information available

9.2. Other information

No information available Solid content (%)

**VOC** content No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics

United Kingdom - BE Page 7/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

No information available

## SECTION 10: Stability and reactivity

10.1. Reactivity

No information available. Reactivity

10.2. Chemical stability

Stable under normal conditions. **Stability** 

**Explosion data** 

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

**Hazardous decomposition** 

products

None under normal use conditions. Stable under recommended storage conditions.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

**Product Information** 

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** No information available.

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

United Kingdom - BE Page 8/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

ATEmix (oral) >5000 mg/kg ATEmix (dermal) >5000 mg/kg >20000 ppm ATEmix (inhalation-gas) ATEmix (inhalation-dust/mist) >5 mg/l ATEmix (inhalation-vapour) >20 mg/l

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene glycol	ATE 500 mg/kg	= 10600 mg/kg (Rattus) = 9530 µL/kg (Oryctolagus cuniculus)	> 2.5 mg/L (Rat)6 h
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	>5000 mg/Kg (Rattus) (OECD 401)	-	>4000 mg/m³ 4h Vapour (Rattus) (OECD 403)
Sodium hydroxide	=325 mg/kg (Rattus)	= 1350 mg/kg (Oryctolagus cuniculus)	-
Zinc oxide	>5000 mg/kg (Rattus)	LD50 >2000 mg/Kg (Rattus) (OECD 402)	LC50 (4h) >5.7 mg/l
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-
reaction mass of 5-chloro-2-methyl-2H-isothiazo I-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg (Oryctolagus cuniculus)	= 0.33 mg/L (Rat) 4h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Respiratory or skin sensitisation

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. STOT - repeated exposure

**Aspiration hazard** Based on available data, the classification criteria are not met.

11.2. Information on other hazards

United Kingdom - BE Page 9/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

### 11.2.1. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

11.2.2. Other information

Other adverse effects No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

#### **Ecotoxicity**

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor	M-Factor
	plants		microorganisms			(long-term)
Ethylene glycol	EC50: 6500 -	LC50 96 h =	EC50 = 10000	EC50:		
107-21-1	13000mg/L (96h,		mg/L 16 h	=46300mg/L		
	Pseudokirchneri	,	EC50 = 620	(48h, Daphnia		
	ella subcapitata)	reticulata static)	mg/L 30 min	magna)		
			EC50 = 620.0			
			mg/L 30 min			
Sodium hydroxide	-	LC50:	-	-		
1310-73-2		=45.4mg/L (96h,				
		Oncorhynchus				
		mykiss)				
Zinc oxide	LC 50 (72Hr)	LC50 (96h) =0.7	-	LC 50 (48Hr)	1	1
1314-13-2	0.136 mg/L	mg/L (Danio		=0.5 mg/l		
		rerio)		(Ceriodaphnia		
				dubia)		
1,2-benzisothiazol-3(2	EC50 3Hr	LC50 (96hr) 2.15		EC50(48hr) 2.94	1	
H)-one [BIT]		mg/l Cyprinodon		mg/l (Daphnia		
2634-33-5	sludge) (OECD	variegatus EPA		Magna) OECD		
	209)	540/9-85-006		202		
reaction mass of	EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
5-chloro-2-methyl-2H-is		0.22 mg/L		mg/L (Daphnia		
othiazol-3-one and	(Pseudokirchner			magna) (OECD		
2-methyl-2H-isothiazol-		, , ,		202)		
3-one (3:1)	(OECD 201)	211)				
[C(M)IT/MIT]						
55965-84-9						

### 12.2. Persistence and degradability

Persistence and degradability No information available.

Zinc oxide (1314-13-2)

Method	Exposure time	Value	Results
			The methods for determining
			biodegradability are not
			applicable to inorganic
			substances

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Tes	t		
(TG 301 B)			

## 12.3. Bioaccumulative potential

United Kingdom - BE Page 10/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

#### Bioaccumulation

**Component Information** 

Chemical name	Partition coefficient
Ethylene glycol	-1.36
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

#### 12.4. Mobility in soil

Mobility in soil No information available.

### 12.5. Results of PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the PBT and vPvB assessment

threshold of declaration.

Chemical name	PBT and vPvB assessment
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2%	The substance is not PBT / vPvB
aromatics	
Sodium hydroxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Zinc oxide	The substance is not PBT / vPvB PBT assessment does
	not apply
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

### 12.6. Endocrine disrupting properties

No information available. **Endocrine disrupting properties** 

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

**European Waste Catalogue** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

## **SECTION 14: Transport information**

Keep from freezing. Note:

United Kingdom - BE Page 11/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

#### Land transport (ADR/RID)

14.1 UN number or ID number Not regulated Not regulated 14.2 UN proper shipping name 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

#### IMDG

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated

14.5 Marine pollutant 14.6 Special precautions for user **Special Provisions** None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

## Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

**Special Provisions** None

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### **SVHC:** Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

#### Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide: Contains C(M)IT/MIT (3:1). May produce an allergic reaction

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

United Kingdom - BE Page 12/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

#### **Persistent Organic Pollutants**

Not applicable

#### National regulations

#### 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

#### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eve damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

## Notes relating to the identification, classification and labelling of substances

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis

Legend

TWA TWA (time-weighted average) STEL (Short Term Exposure Limit) STEL

Ceiling Limit Value Ceiling Skin designation

**SVHC** Substance(s) of Very High Concern

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals PBT vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure STOT SE

**EWC** European Waste Catalogue

European Agreement concerning the International Carriage of Dangerous Goods by **ADR** 

Road

**IMDG** International Maritime Dangerous Goods (IMDG) International Air Transport Association (IATA) IATA

**RID** Regulations concerning the International Transport of Dangerous Goods by Rail

#### Key literature references and sources for data

No information available

Product Safety & Regulatory Affairs Prepared By

Revision date 26-Jul-2023

Indication of changes

United Kingdom - BE Page 13/14

**OB1 BIOBASED FIX & BOND ADHESIVE** 

Replaces: N/A Date: 02.01.2024 Ref: 0629.0.BO/DL

Not applicable. **Revision note** 

No information available **Training Advice** No information available Further information

This material safety data sheet complies with requirements of UK REACH Regulations (SI 2019/758 as amended)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

United Kingdom - BE Page 14/14